

## WEST Search History for Application 10056687

Creation Date: 2008092722:30

Query	DB	Op.	Plur.	Thes.	Date
6507849.pn.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
("6507849")[URPN]	USPT	OR			09-27-2008
print\$3 and (("6507849")[URPN] )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
print\$3 and (6507849.pn. )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
send\$3 near3 generic access near3 instruction\$1	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(configur\$3 and stor\$3)adj7 (data or information)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(send\$3 near3 generic access near3 instruction\$1 ) and ((configur\$3 and stor\$3)adj7 (data or information) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
provid\$3 near3 print near3 dialog near3 box\$3	PGPB, USPT,	OR			09-27-2008

	EPAB, JPAB, DWPI, TDBD				
(709/203 I709/220).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(send\$3 near3 generic access near3 instruction\$1 and (configur\$3 and stor\$3)adj7 (data or information) ) and ((709/203 I709/220).ccls. )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
printer\$1 and (send\$3 near3 generic access near3 instruction\$1 and (configur\$3 and stor\$3)adj7 (data or information) and (709/203 I709/220).ccls. )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(configur\$3 and stor\$3)adj7 (data or information) (before or prior) dialog near3 box\$3	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(printer\$1 and send\$3 near3 generic access near3 instruction\$1 and (configur\$3 and stor\$3)adj7 (data or information) and (709/203 I709/220).ccls. ) and ((configur\$3 and stor\$3)adj7 (data or information) (before or prior) dialog near3 box\$3 )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(send\$3 near3 generic access near3 instruction\$1 ) and ((configur\$3 and stor\$3)adj7 (data or information) (before or prior) dialog near3 box\$3 )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(send\$3 near3 generic access near3 instruction\$1 and (configur\$3 and stor\$3)adj7 (data or information) ) and ((configur\$3 and stor\$3)adj7 (data or information) (before or prior) dialog near3 box\$3 )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008

((709/203  709/220).ccls. ) and (send\$3 near3 generic access near3 instruction\$1 and (configur\$3 and stor\$3)adj7 (data or information) and (configur\$3 and stor\$3)adj7 (data or information) (before or prior) dialog near3 box\$3 )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
print\$3 and ((709/203  709/220).ccls. and send\$3 near3 generic access near3 instruction\$1 and (configur\$3 and stor\$3)adj7 (data or information) and (configur\$3 and stor\$3)adj7 (data or information) (before or prior) dialog near3 box\$3 )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
provid\$5 near3 print near3 dialog near3 box after stor\$3 near3 data	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
(send\$3 near3 generic access near3 instruction\$1 ) and (provid\$5 near3 print near3 dialog near3 box after stor\$3 near3 data )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
((709/203  709/220).ccls. ) and (send\$3 near3 generic access near3 instruction\$1 and provid\$5 near3 print near3 dialog near3 box after stor\$3 near3 data )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
((configur\$3 and stor\$3)adj7 (data or information) ) and ((709/203  709/220).ccls. and send\$3 near3 generic access near3 instruction\$1 and provid\$5 near3 print near3 dialog near3 box after stor\$3 near3 data )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
@pd<20022401 and ((709/203  709/220).ccls. and send\$3 near3 generic access near3 instruction\$1 and provid\$5 near3 print near3 dialog near3 box after stor\$3 near3 data )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008
@pd<20022401 and ((configur\$3 and stor\$3)adj7 (data or information) and (709/203  709/220).ccls. and send\$3 near3 generic access near3 instruction\$1 and provid\$5 near3 print near3 dialog near3 box after stor\$3 near3	PGPB, USPT, EPAB, JPAB,	OR			09-27-2008

data )	DWPI, TDBD				
print\$3 and (@pd<20022401 and (configur\$3 and stor\$3)adj7 (data or information) and (709/203  709/220).ccls. and send\$3 near3 generic access near3 instruction\$1 and provid\$5 near3 print near3 dialog near3 box after stor\$3 near3 data )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			09-27-2008